

Vibrant business colour

Adding impact to your everyday print communication, these desktop devices put vibrant and productive colour printing within easy and affordable reach.

Class-leading functionality

- Vibrant colour output
- 25 ppm productivity
- Print from any device
- Low running costs
- Best in class security including SNMPv3-encrypted communications for device monitoring

Combining class-leading functionality with low total costs of ownership, these compact A4 devices are made for business. Keeping pace with demand, they deliver immaculate doublesided colour and black and white output at a productive 25 pages per minute. And, with WiFi Direct making it easy to connect, these productive desktop printers can be shared by multiple users.

Productive time-saving features

- Printer and/or 4-in-1 MFP
- Colour touchscreen panel
- Fast, single-pass scanner
- Optional 2nd paper tray

Easy to install, they will work seamlessly in virtually any environment. Windows, Mac and even Linux are supported and, to improve access, users can connect using AirPrint, Mopria. And, with WiFi Direct and Near Field Communication (NFC) built in, it has never been easier to join a network. What is more, with their ultra high yield cartridges extending print cycles and reducing costs, these reliable desktop devices offer best-in-class total costs of ownership.





To simplify your print environment, Ricoh offers single and multi-function versions of the same advanced print engine. The M C251FW is a compact fax-enabled <nonbreaking>4 w 1</nonbreaking>. Its large colour touchscreen panel simplifies operation and, to save time, the integral Single Pass Document Feeder (SPDF) quickly scans double-sided originals in a single pass. The addition of an optional second paper tray expands capacity and enables different sizes and types of paper to be held online, ready for use

Easy installation and support

- Windows, Mac and Linux
- AirPrint, Mopria
- Near Field Communication
- UHY toner cartridges

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

	P C311W	M C251FW
NERAL		
nfiguration		Desktop
chnology		Laser
arm-up time		20 seconds
st output speed: B/W		9.4 seconds
st output speed: full colour		9.8 seconds
		25 ppm
ntinuous output speed		
mory: standard		256 MB
mory: maximum		256 MB
DF capacity (M C251FW)	-	50 sheets
ty cycle		65,000
plex		Yes
eight	25 kg	30 kg
nensions: W x D x H	400 x 450 x 334 mm	420 x 493 x 473 mm
ver source	2	20 - 240 V, 50 - 60 Hz
PIER (M C251FW)		
iple copying	-	Up to 99 copies
m	-	From 25% to 400% in 1% steps
ard copy	-	Yes
ITER		
	l coor horrer	anning electro photographic printing
ng process		anning, electro-photographic printing
er language: standard	PCLS	ic, PCL6, PostScript® 3™
resolution	2,400 x 600 dpi	
	Standard: PCL (80 fonts), PS3 (80 fonts)	
vork interface: standard	Ethernet 10 base-T/100 base-TX, Wireless LAN (IEEE 802.11 a/b/g/n), USB 2.0	
ile printing capability	A	pple AirPrint, Mopria®
idows® environments		Windows® 8.1
		Windows® 10
		/indows® Server 2012
		ndows® Server 2012R2
		/indows® Server 2016
		/indows® Server 2019
OS environments	Mac	ntosh OS X v10.10 - v11
supported environments		Linux environment
INER (M C251FW)		
ing: B/W		21 ipm
nning: full colour	-	12 ipm
blution: maximum		1,200 dpi
olution: standard	-	600 dpi
dled drivers	-	Network TWAIN
n modes	-	E-mail,Folder,USB
(M C251FW)		
iit	-	PSTN
patibility	-	ITU-T(T.37) Internet-Fax
smission speed	-	3 seconds
em speed: maximum	-	33.6 Kbps
et fax ax	-	Standard
	-	Standard
RHANDLING		
mmended paper size		A4, A5, A6, B4, B5
r input: standard		250 sheets
input: bypass		1 sheets
input: maximum		751 sheets
		150 sheets
utout: standard		
		Trays: 60 - 163 g/m ²
eer output: standard ber weight	Optic E	nal tray(s): 60 - 105 g/m² iypass: 60 - 163 g/m² Duplex: 60 - 90 g/m²
er weight	Optic E	lypass: 60 - 163 g/m ²
	Optic E B&W: 412 W, Full colour: 450 W	ypass: 60 - 163 g/m² Duplex: 60 - 90 g/m² B&W: 422 W, Full colour: 444 W
r weight OGY r consumption: operation	Optic E	lypass: 60 - 163 g/m ²

RICOH P C311W / M C251FW

MAIN SPECIFICATIONS

	P C311W	M C251FW
CONSUMABLES		
arter toner	Black: 1,000 prints, Cyan: 1,000 prints, Mager	nta: 1,000 prints, Yellow: 1,000 prints
oner (black)	6,900 print	S
oner (cyan)	6,300 print	S
Foner (magenta)	6,300 print	S
Toner (yellow)	6,300 print	S
Consumable yield measuring nethod ISO/IEC 19798		
5		
750		

Ricoh International B.V.

Prof. W.H. Keesomlaan 1 1183 DJ Amstelveen The Netherlands





All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2022 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.