


















BEYLA.twist
BABY CARRIER


















INDEX

	Setting – Adjusting the seating ring	6
	Setting – Using the newborn leg loop	11
	Setting – Using the Waist belt	14
	Setting – Using the Headrest	17
 	Front Inward Carry parallel – Put the baby in	25
 	Front Inward Carry parallel – Take the baby out	31
 	Front Inward Carry crossed – Put the baby in	34
 	Front Inward Carry crossed – Take the baby out	40


INDEX

		Front Outward Carry parallel – Put the baby in	43
		Front Outward Carry parallel – Take the baby out	48
		Front Outward Carry crossed – Put the baby in	51
		Front Outward Carry crossed – Take the baby out	56
		Back Carry – Put the baby in	59
		Back Carry – Take the baby out	66
		Hip Carry – Put the baby in	71
		Hip Carry – Take the baby out	77




SETTING

ADJUSTING THE SEATING RING







Max. 15 kg | 33.1 lbs



>12 months










~6 - 12
months




~0 - 6
months

Min. 3,5 kg | 7.7 lbs














SETTING

USING THE NEWBORN LEG LOOP













SETTING

USING THE WAIST BELT

















SETTING



USING THE HEADREST

































FRONT INWARD CARRY PARALLEL


PUT THE BABY IN
FROM BIRTH

















FRONT INWARD CARRY PARALLEL

TAKE THE BABY OUT
FROM BIRTH









5







FRONT INWARD CARRY CROSSED


PUT THE BABY IN
FROM BIRTH
















13




FRONT INWARD CARRY CROSSED

TAKE THE BABY OUT


















FRONT OUTWARD CARRY PARALLEL

PUT THE BABY IN
FROM 6 MONTHS















FRONT OUTWARD CARRY PARALLEL

TAKE THE BABY OUT











5










FRONT OUTWARD CARRY CROSSED

PUT THE BABY IN
FROM 6 MONTHS















FRONT OUTWARD CARRY CROSSED

TAKE THE BABY OUT













BACK CARRY


PUT THE BABY IN



FROM 6 MONTHS






























BACK CARRY


TAKE THE BABY OUT

















HIP CARRY




PUT THE BABY IN





FROM 4 MONTHS















HIP CARRY

TAKE THE BABY OUT







www.cybex-online.com