

NEW

SIMPLY MIXING

C•mix M1000 C•mix M1400

by O Collomix

THE COMPACT





- Compact and powerful 1-gear machine
- Ideal for a wide range of mixing tasks up to 40 litres
- Modern design and pleasant to operate



• Electronically controlled speed via a safety switch

11111

- Modern machine technology for reliable building site operation
- Metal frame protects against breakage and contamination

TECHNICAL DATA

Power: max. Ø mixer: Load speed: 1,010 Watt/230 V 120 mm/HEXAFIX 630 rpm

THE UNIVERSAL





- Powerful mixers for demanding work up to 70 litres
- 2-gear transmission for high power utilisation and flexible use
- Modern design
- Energy saving ergonomics



• Electronically controlled speed via a safety switch

- Modern machine technology for reliable and continuous operation
- Low wear
- Metal frame protects against breakage and contamination

TECHNICAL DATA

Power: Ø mixer: Load speed: 1,400 Watt/230 V 140 mm/HEXAFIX 400/620 rpm



HEXAFIX-QUICK COUPLING



MIXER





The innovative quick coupling for a tool change without tools, practical and convenient



SELECTING THE RIGHT MIXER IS KEY TO THE PERFECT MIXING RESULT

Mix amount

Colour

Coatings

Levelling compounds, se

Slurry, primer

Adhesive mortar

Fillers

Tile cement

Plaster

Masonry mortar

Cement screed

Epoxy resin mortar

	Al alla	////	
FM	KR	WK	МК
		3	
	C•mix 1000	C∙ı	nix 1400
	Up to 40 litre	s Up	to 70 litres
	FM 120 HF		
	FM 120 HF		
lf–levelling	FM 120 HF KR 120 HF	KR	140 HF
lf–levelling			140 HF 140 HF
lf–levelling	KR 120 HF	KR	
lf-levelling	KR 120 HF KR 120 HF	KR KR	140 HF
lf–levelling	KR 120 HF KR 120 HF KR 120 HF	KR KR KR	140 HF 140 HF
lf–levelling	KR 120 HF KR 120 HF KR 120 HF KR 120 HF	KR KR KR	140 HF 140 HF 140 HF
lf-levelling	KR 120 HF KR 120 HF KR 120 HF KR 120 HF KR 120 HF	KR KR KR KR	140 HF 140 HF 140 HF 140 HF
lf-levelling	KR 120 HF KR 120 HF KR 120 HF KR 120 HF KR 120 HF WK 120 HF	KR KR KR WK WK	140 HF 140 HF 140 HF 140 HF 140 HF

WITH THE RIGHT MIXER YOU WORK BETTER AND WITH GREATER EASE

As different as the individual materials are is as different as the individual mixers need to be in their effect.


The material should be mixed quickly and thoroughly. This for example is why the individual mixer types generate different flow directions in the material. If one type optimally conveys heavy material upwards, then a different model effectively divides the lumps in the mass while another type quickly pushes liquid media downwards without spraying it.

Cutting-edge tool production ensures consistent quality, quiet and secure operation and a long service life.





C•mix – FOR PROFESSIONALS WHO EXPECT MORE FROM THEIR TOOL



- → Convincing in terms of quality and reliability
- → Innovative technology saves time and money less mixing time, faster results
- → Less physically demanding ergonomically optimised



MIXING COMPETENCE FROM EXPERIENCE

Collomix - the international specialist for mixing

Mixing made easy - the C•mix-system:

- → Powerful and reliable drives that don't let you down
- → Innovative and simple tool connection
- → Always the right mixer for your material

Collomix GmbH Daimlerstraße 9 85080 Gaimersheim Germany

Tel.: +49 (0) 84 58 32 98-0 Fax: +49 (0) 84 58 32 98-30 E-Mail: info@collomix.de Web: http://c-mix.collomix.com

C•mix is a Collomix brand.

